(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization

International Bureau





(43) International Publication Date 3 November 2005 (03.11.2005)

PCT

(10) International Publication Number WO 2005/104157 A1

(51) International Patent Classification⁷: H01H 37/54, H05B 1/02

(21) International Application Number:

PCT/EP2005/051592

(22) International Filing Date: 11 April 2005 (11.04.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

MI2004U000189 27 April 2004 (27.04.2004) IT

- (71) Applicant (for all designated States except US): ELETTROTEC s.r.l. [IT/IT]; Via Jean Jaurés, 12, I-20125 Milano (IT).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): SARTOR, Adriana [IT/IT]; Via Ristori, 8, I-20129 Milano (IT).
- (74) Agent: MITTLER, Enrico; Mittler & C. S.r.l., Viale Lombardia, 20, I-20131 Milano (IT).


- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

 as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designation US

[Continued on next page]

(54) Title: BIMETALLIC THERMOSTAT WITH PRINTED CIRCUIT INTERPOSED BETWEEN A SENSITIVE THERMOSTATIC ELEMENT AND A RELAY



(57) Abstract: A bimetallic thermostat with exchange contact is described comprising an external support covering (1) and an internal device (2) made up of a pierced base (3) provided with a packing (4) and with electric contacts (5, 15, 25, 35) with the outside, of a relay (8) electrically connected with said base (3) and of 'a sensitive thermostatic element (9) electrically connected with said relay (8). Said thermostat comprises in addition a printed circuit (7) interposed between the sensing element (9) and the relay (8).

WO 2005/104157 A1

WO 2005/104157 A1



— of inventorship (Rule 4.17(iv)) for US only

Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

PATENT COOPERATION TREATY

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference	FOR FURTHER		see Form PCT/ISA/220
04061/PCT-dc	ACTION	as well	as, where applicable, item 5 below.
International application No.	International filing date (day/mon	th/year)	(Earliest) Priority Date (day/month/year)
PCT/EP2005/051592	11/04/2005	5	27/04/2004
Applicant			
ELETTROTEC S.R.L.			
This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.			
This International Search Report consists of a total of sheets.			
It is also accompanied by a copy of each prior art document cited in this report.			
Basis of the report a. With regard to the language, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.			
The international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).			
b. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, see Box No. I.			
2. Certain claims were found unsearchable (See Box II).			
3. Unity of invention is lacking (see Box III).			
4. With regard to the title,			
the text is approved as submitted by the applicant.			
the text has been established by this Authority to read as follows:			
BIMETALLIC THERMOSTAT WITH PRINTED CIRCUIT INTERPOSED BETWEEN A SENSITIVE THERMOSTATIC ELEMENT AND A RELAY			
5. With regard to the abstract,			
the text is approved as su	bmitted by the applicant.		
			y as it appears in Box No. IV. The applicant h report, submit comments to this Authority.
6. With regard to the drawings ,			
a. the figure of the drawings to be published with the abstract is Figure No. 2			
X as suggested by			
as selected by this Authority, because the applicant failed to suggest a figure.			
as selected by this Authority, because this figure better characterizes the invention.			
b none of the figures is to b	e published with the abstract.		